

GEMSTONE

Solid Surface Sinks & Shower Pans

CATALOG



Detailed Specification Sheets and
DXF Files are available online at
gemstonesinks.com

DIRECT SUPPLY INC.
1055 36TH STREET
SE GRAND RAPIDS, MI
49508



DIRECT
SUPPLY INC
SURFACE MATERIALS \ CABINETRY \ HARDWARE

1055 36th Street SE, Grand Rapids, MI 49508 | www.directsupplyinc.com
P: 616-245-4415 | F: 616-245-1890 | sales@directsupplyinc.com



Compact Design



1014-V (VO)

I.D.: 14 1/4" x 10" (362 x 254)
Depth 4 1/2"* (114)
(Specify Overflow)

OCT 1215-V (VO)

I.D.: 16 1/4" x 11 7/8" (413 x 302)
Depth 5 1/8"* (131)
(Specify Overflow)

1215-V (VO)

I.D.: 16 1/4" x 11 7/8" (413 x 302)
Depth 5 1/8"* (131)
(Specify Overflow)

C 1316-V

I.D.: 15" x 12 1/2" (352 x 318)
Depth 5 3/4"* (146)
(No Overflow Design Only)

Universal Design



1313-V (VO)

I.D.: 13" Diameter (324)
Depth 5"* (127)
(Specify Overflow)

1414-UV (UVO)

I.D.: 14 3/16" Diameter (360)
Depth 3 3/8"* (85)
(Specify Overflow)

1616-V (VO)

I.D.: 15 3/4" Diameter (400)
Depth 5"* (127)
(Specify Overflow)

1812-V (UVO)

I.D.: 18" x 12 3/4" (457 x 323)
Depth 5"* (127)
(Specify Overflow)

1812-HV (HVO)

I.D.: 18" x 12 3/4" (457 x 323)
Depth 4 1/2"* (114)
(Specify Overflow)

Healthcare Designs



1711-UV (UVO)

I.D.: 17 3/4" x 10 13/16" (451 x 274)
Depth 5"* (127)
(Specify Overflow)

1512-V (VO-ADA)

I.D.: 15 1/2" x 12 5/8" (394 x 321)
Depth 4 1/4"* (108)
(Side Overflow)

1613-UV (UVO)

I.D.: 16 5/16" x 13" (416 x 330)
Depth 5"* (127)
(Specify Overflow)

1613-HV (HVO)

I.D.: 16 3/8" x 13" (416 x 330)
Depth 5"* (127)
(Specify Overflow)

Rectangle Designs



1514-VR (VOR)

I.D.: 15 1/4" x 13 7/8" (387 x 352)
Depth 5 1/4"* (133)
(Specify Overflow)

1514-VO-ADA

I.D.: 15 1/4" x 13 7/8" (387 x 352)
Depth 5 1/4"* (133)
(Side Overflow)

1514-V-ADA

I.D.: 15 1/4" x 13 7/8" (387 x 352)
Depth 5 1/4"* (133)
(No Overflow)

1416-V

I.D.: 14" x 16" (405 x 356)
Depth 5 1/4"* (133)
(No Overflow Design Only)



Rectangle Designs



1513-V (VO)

I.D.: 15" x 13" (381 x 330)
Depth 5"^{**} (127)
(Specify Overflow)



1518-V

I.D.: 15" x 18" (457 x 381)
Depth 5 1/4"^{**} (133)
(No Overflow Design Only)



1814-EV (EVO)

I.D.: 17 3/4" x 14" (450 x 355)
Depth 3 1/8"^{**} (79)
(Side Overflow)



1814-V (VO)

I.D.: 17 3/4" x 14" (450 x 355)
Depth 5"^{**} (124)
(Specify Overflow)

Oval Designs



1410-V (VO)

I.D.: 14 1/4" x 10 5/16" (362 x 262)
Depth 5"^{**} (127)
(Specify Overflow)



1612-V (VO)

I.D.: 15 13/16" x 11 13/16" (402 x 300)
Depth 5"^{**} (127)
(Specify Overflow)



1613-VSO

I.D.: 16 5/16" x 13" (418 x 331)
Depth 5 5/16"^{**} (137)
(Side Overflow)



1914-V (VO)

I.D.: 18 7/8" x 13 5/8" (479 x 346)
Depth 6"^{**} (152)
(Specify Overflow)

Healthcare Designs



1217-V (VO)

I.D.: 17 7/8" x 11 15/16" (454 x 303)
Depth 5 11/16"^{**} (145)
(Specify Overflow)



1712-V (VO)

I.D.: 17 7/8" x 11 15/16" (454 x 303)
Depth 5 11/16"^{**} (145)
(Specify Overflow)



2112-V (VO)

I.D.: 12 5/8" x 21 5/8" (320 x 550)
Depth 5 1/8"^{**} (131)
(Specify Overflow)

Healthcare Designs



L1114-V

I.D.: 14" x 11" (356 x 279)
Depth 5"^{**} (127)
(No Overflow)



R1114-V

I.D.: 14" x 11" (356 x 279)
Depth 5"^{**} (127)
(No Overflow)



RT1710-V (VO)

I.D.: 15 3/4" x 9 7/8" (400 x 251)
Depth 4 1/2"^{**} (114)
(Specify Overflow)

*WHILE SUPPLIES LAST




Small Singles					
	1012-ES I.D.: 12 1/2" x 10 1/2" (318 x 267) Depth 6 1/2"* (165)	1016-S I.D.: 15 3/4" x 10" (400 x 254) Depth 4 1/8"* (105)	1318-S I.D.: 15 5/8" x 10 3/4" (397 x 273) Depth 7"* (178)	1411-ES I.D.: 14" x 10 3/4" (356 x 273) Depth 6 3/4"* (171)	1517-S I.D.: 13 1/4" x 14 1/2" (368 x 337) Depth 8"* (203)
	1507-ES I.D.: 14 3/4" x 6 1/2" (375 x 165) Depth 5"* (127)	1515-ES I.D.: 14 3/4" x 14 3/4" (375 x 375) Depth 8 7/8"* (200)	1815-S I.D.: 17 5/8" x 14 3/4" (448 x 375) Depth 8 7/8"* (225)	1524-ES I.D.: 23 5/8" x 14 3/4" (600 x 375) Depth 7 7/8"* (200)	1616-S I.D.: 15 3/4" x 15 3/4" (397 x 397) Depth 8 1/2"* (213)
N1616-S I.D.: 15 3/4" x 15 3/4" (400 x 400) Depth 8 1/2"* (216)	1616-ES I.D.: 15 3/4" x 15 3/4" (400 x 400) Depth 11 3/4"* (298)	1616-UES I.D.: 15 3/4" x 15 3/4" (400 x 400) Depth 5 1/2"* (140)	1624-UES I.D.: 23 5/8" x 15 3/4" (600 x 400) Depth 5 1/2"* (140)	2116-US I.D.: 20 3/4" x 15 3/4" (527 x 400) Depth 3"* (76)	
Medium & Special					
	2015-ES I.D.: 20 3/8" x 15 5/8" (518 x 397) Depth 8 1/2"* (216)	2318-S I.D.: 20 3/4" x 15 3/4" (527 x 400) Depth 9"* (229)	2416-ES I.D.: 23 5/8" x 15 3/4" (600 x 400) Depth 11 3/4"* (298)	2615-S I.D.: 25 3/4" x 14 3/4" (654 x 375) Depth 7"* (178) (Drain reversible left or right)	
Large & Deep Singles					
	2716-US I.D.: 27" x 16" (686 x 406) Depth 5 1/2"* (140)	2718-S I.D.: 25 3/4" x 14 3/4" (654 x 375) Depth 7"* (178)	2818-S I.D.: 26" x 16" (660 x 406) Depth 8 3/4"* (222)	3217-ES I.D.: 32" x 16 3/4" (813 x 425) Depth 7 7/8"* (200)	
ADA & Large Singles					
	2716-US I.D.: 27" x 16" (686 x 406) Depth 5 1/2"* (140)	2718-S I.D.: 25 3/4" x 14 3/4" (654 x 375) Depth 7"* (178)	2818-S I.D.: 26" x 16" (660 x 406) Depth 8 3/4"* (222)	3217-ES I.D.: 32" x 16 3/4" (813 x 425) Depth 7 7/8"* (200)	



Baby Bath &
Dental Sink



2213-V (VO)
I.D.: 22 1/2" x 12 1/2" (572 x 318)
Depth 6 1/8"* (156)
(Specify if Overflow is required)



1311-S
I.D.: 12 3/8" X 10 3/8" (314 x 264)
Depth 5 1/4"* (133)
(2" Drain)

Farm Sink
Designs



The FS3019-S can be top mounted, or under mounted on any type of countertop surface. The bottom of the sink allows it to be easily supported for easy installation. The front apron can be trimmed, allowing it to be custom sized to fit any standard drawer front.

FS3019-S
I.D.: 27 3/4" x 16 1/2" (705 x 419)
Depth: 8 3/4"* (222)

Special RV Vanity
Drain Designs



RV vanity drain styles are available for all vanity models. Please specify which model and call out the RV drain. The RV drain is a special drain that does not have a pop up ability and has a short thread while maintaining the standard vanity drain diameter.

RV1410-V
I.D.: 14 1/4" x 10 5/16" (362 x 262)
Depth 5"* (127)
(No Overflow-Special Drain)



Low Standard Threshold (LST)



N3636LST

OD: 36" x 36" (914 mm x 914 mm)
Threshold Height: 2 1/2" (64 mm)
Rough Opening: 36 1/4" x 36 1/4" (921 mm x 921 mm)

3636LST

OD: 36" x 36" (914 mm x 914 mm)
Threshold Height: 2 1/2" (64 mm)
Rough Opening: 36 1/4" x 36 1/4" (921 mm x 921 mm)

4836LST

OD: 48" x 36" (1219 mm x 914 mm)
Threshold Height: 2 1/2" (64 mm)
Rough Opening: 48 1/4" x 36 1/4" (1225 mm x 921 mm)

6032LST-L

OD: 60" x 32" (1524 mm x 813 mm)
Threshold Height: 2 1/2" (63.5 mm)
Rough Opening: 60 1/4" x 36 1/4" (1530 mm x 820mm)

6032LST-R

OD: 60" x 32" (1524 mm x 813 mm)
Threshold Height: 2 1/2" (63.5 mm)
Rough Opening: 60 1/4" x 36 1/4" (1530 mm x 820mm)

4836LST-L

OD: 48" x 36" (1219 mm x 914 mm)
Threshold Height: 2 1/2" (64 mm)
Rough Opening: 48 1/4" x 36 1/4" (1225 mm x 921 mm)



4836LST-R

OD: 48" x 36" (1219 mm x 914 mm)
Threshold Height: 2 1/2" (64 mm)
Rough Opening: 48 1/4" x 36 1/4" (1225 mm x 921 mm)

ADA Trench Drains



6237TD

OD: 62 3/8" x 36 3/4" (1584 mm x 933 mm)
Threshold Height: 1 9/16" (39 mm)
Rough Opening: 62 35/8" x 36 7/8" (1591 mm x 937 mm)

3838ETR

OD: 38 1/2" x 36 3/4" (978 mm x 933 mm)
Threshold Height: 0" with 1 1/8" Recess (29mm)
Rough Opening: 38 3/4" x 36 5/8" (985 mm x 930mm)

6237ETR

OD: 62 1/2" x 36 3/4" (1588 mm x 933 mm)
Threshold Height: 4 1/4" (108 mm)
Rough Opening: 62 3/4" x 36 7/8" (1594 mm x 937mm)

ADA Roll-in Pans



3838ECR

OD: 38 1/2" x 38 1/2" (978 mm x 978 mm)
Threshold Height: 0" with 1 1/8" Recess (29mm)
Rough Opening: 38 3/4" x 38 5/8" (985 mm x 921 mm)

6237ECR

OD: 62 1/2" x 36 3/4" (1588 mm x 933 mm)
Threshold Height: 0" with 1 1/8" Recess (29mm)
Rough Opening: 62 3/4" x 36 7/8" (1594 mm x 937mm)

6036ECX

OD: 60" x 36" (1524 mm x 914 mm)
Threshold Height: 4 1/4" (108 mm)
Rough Opening: 60 1/4" x 36 1/4" (1530 mm x 819mm)

Standard Threshold



3660ECS

OD: 36" x 60" (1524 mm x 914 mm)
Threshold Height: 4 1/4" (108 mm)
Rough Opening: 60 1/4" x 36 1/4" (1530 mm x 819mm)

6036ECS

OD: 60" x 36" (1524 mm x 914 mm)
Threshold Height: 4 1/4" (108 mm)
Rough Opening: 60 1/4" x 36 1/4" (1530 mm x 819mm)

3636ECS

OD: 36" x 36" (914 mm x 914 mm)
Threshold Height: 4 1/4" (108 mm)
Rough Opening: 36 1/4" x 36 1/4" (921 mm x 921mm)

6237ECS

OD: 62 1/2" x 36 3/4" (1588 mm x 933 mm)
Threshold Height: 4 1/4" (108 mm)
Rough Opening: 62 3/4" x 36 7/8" (1594 mm x 937 mm)