
STOCK SINK GUIDE

Forteza™

Strength meets beauty in the FortezaTM Series of kitchen sinks. An advanced, proprietary manufacturing process ensures completely even distribution of the material, for unparalleled resistance to thermal shock and damage from dropped items. Each sink is colored all the way through, for a rich and consistent hue that is enhanced with UV protection to prevent fading. The naturally antibacterial nonporous surface repels stains and is heat-safe up to 650°F to shield against hot cookware. The versatile dualmount models allow for either drop-in or undermount installation that integrates seamlessly with any countertop.




KGD-52 33" Drop-In/Undermount Granite 50/50 Double Bowl Kitchen Sink





KGD-54

33" Drop-In/Undermount Granite Single Bowl Kitchen Sink






FEATURES

- OVERALL DIMENSIONS: 33" W X 22" D
- BOWL DEPTH: 9"
- MINIMUM CABINET SIZE: 36" W
- MINIMUM CABINET DEPTH: 24"
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - 2X STRAINER (ST-2)
 - MOUNTING HARDWARE
 - **CUT-OUT TEMPLATE**

 - SILICONE TRIVET (KST-1BLACK)



FEATURES

- OVERALL DIMENSIONS: 33" W X 22" D
- BOWL DEPTH: 9"
- MINIMUM CABINET SIZE: 36" W
- MINIMUM CABINET DEPTH: 24"
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - STRAINER (ST-2)
 - MOUNTING HARDWARE
 - CUT-OUT TEMPLATE
 - SILICONE MIT (KMS-1BLACK)
 - SILICONE TRIVET (KST-1BLACK)

STOCK SINK GUIDE


Forteza™

Strength meets beauty in the FortezaTM Series of kitchen sinks. An advanced, proprietary manufacturing process ensures completely even distribution of the material, for unparalleled resistance to thermal shock and damage from dropped items. Each sink is colored all the way through, for a rich and consistent hue that is enhanced with UV protection to prevent fading. The naturally antibacterial nonporous surface repels stains and is heat-safe up to 650°F to shield against hot cookware. The versatile dualmount models allow for either drop-in or undermount installation that integrates seamlessly with any countertop.
















KGD-50


33" Drop-In/Undermount Granite 60/40 Double Bowl Kitchen Sink

FEATURES

- OVERALL DIMENSIONS: 33" W X 22" D
- 60/40 SPLIT
- BOWL DEPTH: 8-7/8"
- MINIMUM CABINET SIZE: 36" W
- MINIMUM CABINET DEPTH: 24"
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - 2X STRAINER (ST-2)
 - MOUNTING HARDWARE
 - · CUT-OUT TEMPLATE
 - SILICONE MIT (KMS-1BLACK)
 - SILICONE TRIVET (KST-1BLACK)









DAILY CARE

- For best results, rinse sink after each use
- Wipe off with soft sponge or damp microfiber cloth
- Do not use steel wool or abrasive cleaners such as ammonia and bi

DEEPER CLEAN

- Use water and mild liquid detergent (ammonia-free)
- Apply cleaner with soft sponge and scrub gently in circular motions
- Apply olive or mineral oil to dry cloth and rub over sink surface for extra shine

STOCK SINK GUIDE

Quarza™

QuarzaTM Series sinks are built to last a lifetime, with high-quality granite composite made from 80% natural quartz and high-performance acrylic resin, offering exceptional durability with the luxurious look & feel of real stone. The extra-tough material offers unparalleled resistance to scratches and stains, thermal shock, and impact from dropped objects. The naturally hygienic non-porous surface resists food and liquid from sticking for easy cleanup, and withstands extreme temperature fluctuations to handle hot pots and pans. Heavy-duty construction absorbs vibration and minimizes noise when the sink is in use. The versatile dualmount design allows for undermount or drop-in installation and is compatible with all countertops.



KGD-442BLACK

33" Drop-In/Undermount Granite 60/40 Double Bowl Kitchen Sink




KGD-441BLACK


25" Drop-In/Undermount Granite Single Bowl Kitchen Sink

FEATURES


- OVERALL DIMENSIONS: 25" W X 22" D
- BOWL DIMENSIONS: 21-1/2"X 18"
- BOWL DEPTH: 9-1/8"
- MINIMUM CABINET SIZE: 27" W
- MINIMUM CABINET DEPTH: 24"REAR OFFSET DRAIN
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - MOUNTING HARDWARE
 - CUT-OUT TEMPLATE



- OVERALL DIMENSIONS: 33" W X 22" D
- BOWL DIMENSIONS: 29-1/2"X 18"
 LARGE BOWL DEPTH: 10"
- LARGE BOWL DEPTH: 10"
 SMALL BOWL DEPTH: 7 -1/2"
- MINIMUM CABINET SIZE: 36" W
- MINIMUM CABINET DEPTH: 24"
- REAR OFFSET DRAINS
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - MOUNTING HARDWARE
 - CUT-OUT TEMPLATE












DAILY CARE

- For best results, rinse sink after each use
- Wipe off with soft sponge or damp microfiber cloth
- Do not use steel wool or abrasive cleaners such as ammonia and bleac

DEEPER CLEAN

- Use water and mild liquid detergent (ammonia-free)
- Apply cleaner with soft sponge and scrub gently in circular motions
- Apply olive or mineral oil to dry cloth and rub over sink surface for extra shine



Kraus

STOCK SINK GUIDE

Premier™


The Premier Series features streamlined sinks with a classically inspired look and generously rounded easy-to-clean corners. Ideal for all your kitchen needs, these sinks combine quality, convenience, and style in one attractive package. With extreme durability and wearresistant satin finish, Premier Series sinks are perfect for any project. NoiseDefend™ technology provides exceptional sound reduction when you're using the sink, with extra-thick rubber dampening pads and a non-toxic undercoat to eliminate noise from dishwashing and waste disposal. The undermount configuration is designed for seamless installation with a variety of countertops and makes it easy to keep your kitchen counter clean by brushing crumbs and water straight into the sink.

FEATURES


- OVERALL DIMENSIONS: 32 1/4" X. 18 7/8
- BOWL DIMENSIONS: 14 1/2" X 16 7/8"
- SINK DEPTH: 8 1/2
- REQUIRED MINIMUM CABINET SIZE: 36" W X 24" D
- CENTER SET DRAINS
- 3 1/2" DRAIN OPENING
- LOW CENTER DIVIDER
- NOISE DEFEND UNDERCOATING AND SOUND DAMPENING PADS ACCESSORIES INCLUDED IN THE
 - BOX: • STRAINER ST-1 v2
 - BOTTOM GRID KBH-32 x2
 - · CUT-OUT TEMPLATE
 - MOUNTING HARDWARE


KBU32 Undermount Double Equal Kitchen Sink












The Quietest Sink. Guaranteed.

Kräus

with extra-thick rubber pads absorbs noise and vibration, creating a noticeably quieter kitchen sink



Smart Low Divider

Kräus

16 1/4" (413mm) 18 3/8"

9 7/8" (250mm)

Functionality taken to a new levee: A smart low divider offer the versatility of a double bowl sink with the spaciousness of a large single bowl. The extra clearance allows you to wash baking trays and long handled pans over both bowls while



3 1/2" (89mm)

31 1/2"

10" SSmm

R 3 7/8"

KBU14 31-1/2" Undermount Single Bowl Kitchen Sink







FEATURES

- OVERALL DIMENSIONS: 31 ½" X. 18 3/8"
- BOWL DIMENSIONS: 29 1/2" X 16 1/4"
- SINK DEPTH: 9 7/8'
- REQUIRED MINIMUM CABINET SIZE: 36" W X 24" D
- CENTER SET DRAIN
- 3 1/2" DRAIN OPENING
- NOISE DEFEND UNDERCOATING AND SOUND DAMPENING PADS ACCESSORIES INCLUDED IN THE

BOX:

- BASKET STRAINER BST-1 BOTTOM GRID KBG-14
- CUT-OUT TEMPLATE
- MOUNTING HARDWARE
- TOWFI

STOCK SINK GUIDE

Kore™


Do more with Kore™ - The ultimate sink for the modern home chef. Inspired by professional kitchens, the Kore™ Workstation Series instantly transforms your kitchen sink into a full-service prep station. Packed with premium accessories such as the multi-purpose dish drying rack and bamboo cutting board, the integrated ledge system allows you to wash and dry, or chop and slice without losing an inch of counter space. Made with real 16-gauge stainless steel, this kitchen workhorse is one of the toughest and most durable sinks on the market. The advanced modern look and culinary-inspired design is an instant upgrade to any home kitchen. Take the functionality of your kitchen sink to a whole new level with the Kore™ Workstation Series and experience the Kraus difference.





25" Drop-In/Undermount Single Bowl Kitchen Sink

Ø1 3/8 R1/4 16" (406.4mm) 17" (431.8mm) 5" 127mm 22"



FEATURES

- OVERALL DIMENSIONS: 25" W X 22" D
- BOWL DIMENSIONS: 23" W X 16" D
- BOWL DEPTH: 9"
- MINIMUM CABINET SIZE: 27" W
- MINIMUM CABINET DEPTH: 24"
- REAR OFFSET DRAIN
- NOISE DEFEND UNDERCOATING AND SOUND DAMPENING PADS
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - STRAINER ST-1
 - COVER CAP STC-2
 - BOTTOM GRID KBG-UN1-25
 - CUTTING BOARD KCB-WS102BB
- ROLLING MAT KRM-11BL
- TOP MOUNT CUT-OUT TEMPLATE
- TOP MOUNT HARDWARE








33" Drop-In / Undermount Workstation Single Bowl Kitchen Sink

FEATURES

- 16 Gauge Stainless Steel Construction
- Top Mount Single Bowl Sink
- Required Minimum Cabinet Size: 36" Left to Right, 24" Front to Back
- Center Set Drain
- 3 1/2" Drain Opening
- NoiseDefend Undercoating and Sound Dampening Pads
- ACCESSORIES INCLUDED IN THE BOX:
 - Strainer ST-1
 - Cover Cap STC-2
 - Bottom Grid KBG-UN2-33 Cutting Board KCB-WS103SA Rolling Mat KRM-11BL Cut-Out Template Mounting Hardware





STOCK SINK GUIDE

Standart Pro™

Known for outstanding quality and dependability, Standart PRO™ Series sinks are designed with straight walls and tight-radius corners to create a contemporary look in any kitchen. Built to impress with rugged T304 construction, wear-resistant finish, and industry-best NoiseDefend™ soundproofing technology, these sinks are designed to efficiently handle the toughest messes. Available in three installation types for maximum design flexibility. Undermount installation creates a seamless transition between sink and countertop for a beautifully finished look. The farmhouse models are uniquely designed for below-counter installation for a seamless transition from countertop to sink, with modern flat apron fronts that offer a high-end look. The convenient drop-in option of the dualmount models allows you to install with any type of kitchen counter, with an extra-thick mounting deck that sits flat against the countertop for a beautifully finished look.




KHT302-33

33" Drop-In/Undermount Double Bowl Kitchen Sink

FEATURES


- 16 Gauge
- Dual Mount Installation
- Double Bowl Sink
- Required Minimum Cabinet Size: 36" Left to Right 24" Front to Back
- Rear Center Set Drains
- 31/2" Drain Openings
- NoiseDefend Undercoating and Sound Dampening Pads
- ACCESSORIES INCLUDED IN THE BOX
 - Strainer ST-1(2)
 - Cover Cap STC-2 (2) Bottom Grid KBG-302-33 (2) Cut-Out Template
 - Top Mount Hardware Undermount
 Hardware



Trusted Quality



Experience Kraus Quality with extra-tough T304 stainless steel sinks and wear-resistant finish that's easy to keep clean



Kraus

STOCK SINK GUIDE

Kore™

While Supplies Last

Do more with Kore™ - The ultimate sink for the modern home chef. Inspired by professional kitchens, the Kore™ Workstation Series instantly transforms your kitchen sink into a full-service prep station. Packed with premium accessories such as the multi-purpose dish drying rack and bamboo cutting board, the integrated ledge system allows you to wash and dry, or chop and slice without losing an inch of counter space. Made with real 16-gauge stainless steel, this kitchen workhorse is one of the toughest and most durable sinks on the market. The advanced modern look and culinary-inspired design is an instant upgrade to any home kitchen. Take the functionality of your kitchen sink to a whole new level with the Kore™ Workstation Series and experience the Kraus difference.

KWU112-33






KWT310-30



30" Drop-In/Undermount Single Bowl Kitchen Sink

FEATURES

- OVERALL DIMENSIONS: 33" W X 19" D
- BOWL DIMENSIONS: 31" W X 16" D
- BOWL DEPTH: 10"
- MINIMUM CABINET SIZE: 36" W
- MINIMUM CABINET DEPTH: 24"
- REAR CENTER SET DRAINS
- NOISE DEFEND UNDERCOATING AND SOUND DAMPENING PADS
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - STRAINER ST-1 x 2
 - COVER CAP STC-2 x 2
 - BOTTOM GRID KBG-WSU1-33 x 2
 - CUTTING BOARD KCB-WS103BB
 - ROLLING MAT KRM-11BL
 - CUT-OUT TEMPI ATE
 - MOUNTING HARDWARE





THE QUIETEST SINK ON THE MARKET

Kräus KORE WORKSTATION W/ BUILT-IN LEDGE

Designed as a workstation

ENGINEERED FOR **EASY DRAINING**

Kräus



FEATURES

- OVERALL DIMENSIONS: 30" W X 22" D
- BOWL DIMENSIONS: 28" W X 16" D
- BOWL DEPTH: 9"
- MINIMUM CABINET SIZE: 33" W
- MINIMUM CABINET DEPTH: 24"
- REAR OFFSET DRAIN
- NOISE DEFEND UNDERCOATING AND SOUND DAMPENING PADS
- 3-1/2" DRAIN OPENING
- ACCESSORIES INCLUDED IN THE BOX:
 - STRAINER ST-1
 - COVER CAP STC-2
 - BOTTOM GRID KBG-UN1-25
 - CUTTING BOARD KCB-WS102BB
 - ROLLING MAT KRM-11BL
 - TOP MOUNT CUT-OUT TEMPLATE
- TOP MOUNT HARDWARE

