

# SALICE



## IN STOCK SALICE GUIDE

### Face Frame Soft Close Hinges

#### STOCK FACE FRAME SOFT CLOSE HINGE PART NUMBERS

##### 1-1/4" Overlay



- CUP3AD9 - 2 CAM - WOOD SCREW
- CUP3AD9R - 3 CAM - WOOD SCREW
- CUR3AD9 - 2 CAM - DOWEL
- CUR3AD9R - 3 CAM - DOWEL

##### 3/4" Overlay

- CUP34D9 - 2 CAM - WOOD SCREW
- CUP34D9R - 3 CAM - WOOD SCREW
- CUR34D9 - 2 CAM - DOWEL
- CUR34D9R - 3 CAM - DOWEL

##### 1/2" Overlay

- CUP37D9 - 2 CAM - WOOD SCREW
- CUP37D9R - 3 CAM - WOOD SCREW
- CUR37D9 - 2 CAM - DOWEL
- CUR37D9R - 3 CAM - DOWEL




All overlays are calculated with a K = 2.5 mm.

**All Silentia face frame hinges have an variable drilling distance (K) of 2.5 mm - 6.0 mm.**


#### Boring Pattern

Boring distance from the edge of the door:

Press-in




Screw-in.



- LIFETIME WARRANTY
- IMM CUP DEPTH TO ACCOMMODATE DEEP EDGE PROFILES

ALL STOCK FACE FRAME SOFT CLOSE HINGES FEATURE 106 DEGREE OPENING

# SALICE



## IN STOCK SALICE GUIDE Face Frame Self Close Hinges

### STOCK FACE FRAME SELF CLOSE HINGE PART NUMBERS

#### 1-1/4" Overlay

- CSR3A99N - 2 CAM - DOWEL

#### 3/4" Overlay

- CSP3499 - 2 CAM - WOOD SCREW
- CSP3499XR - 3 CAM - WOOD SCREW
- CSR3499 - 2 CAM - DOWEL
- CSR3499XR - 3 CAM - DOWEL

#### 1/2" Overlay

- CSP3799 - 2 CAM - WOOD SCREW
- CSP3799XR - 3 CAM - WOOD SCREW
- CSR3799 - 2 CAM - DOWEL
- CSR3799XR - 3 CAM - DOWEL


- LIFETIME WARRANTY
- 11MM CUP DEPTH TO ACCOMMODATE DEEP EDGE PROFILES

Two or Three  
Cam Adjustment

2 CAM



3 CAM




Easy Adjustments

Height



Middle Screw  
+/- 2 mm

Side




+2.8mm  
-1.5 mm


Depth



+2.5mm  
-0.5 mm




K = 2.5MM



Screw-in.  
Tornillo para madera.


Press-in - Rapido - Logica  
Taco - Rápido - Logica

1/2"



Zero-door protrusion

3/4"



Zero-door protrusion

ALL STOCK FACE FRAME SELF CLOSE HINGES FEATURE 106 DEGREE OPENING

# SALICE



## IN STOCK SALICE GUIDE

European Hinge Overlay Chart  
Face Frame Cabinet Application  
110 Degree Opening



★ = Preferred Choice

1. FIND YOUR DESIRED OVERLAY IN THE CHART BELOW [ 1-1/4" | 3/4" | 9/16" | 1/2" | 3/8" | 1/4" | INSET ]

2. SELECT A HINGE [SOFT CLOSE | SELF CLOSE WITH DOWELS | SELF CLOSE WITHOUT DOWELS]

3. ORDER HINGE SELECTED & COORDINATING BASEPLATE SHOWN

		HINGE		
		C7R6AE9	C7R6DE9	C7R6GE9
		C2R6A99	C2R6D99	C2R6G99
		C2P6A99	C2P6D99	C2P6G99
DESIRED OVERLAY WITH 4MM TAB DISTANCE		A	D	G
BASEPLATE	BAU3R19 1mm Diecast Face Frame Base Plate	3/4" 19mm	1/2" 12.5mm	3/8" 10mm ★
	BAU3R49 4mm Diecast Face Frame Base Plate	9/16" 15mm	3/8" 10mm	1/4" 6mm
	BAL3R59 5mm Diecast Inset Face Frame Baseplate		INSET USE 3mm TAB	INSET ★
	BAM3R09 0mm Diecast Face Frame Baseplate	1-1/4" 32MM - USE 6mm TAB (K)		

# SALICE



## IN STOCK SALICE GUIDE

European Hinge

Frameless Cabinet Application

110 and 120 Degree Hinge Opening




- 1 FIND YOUR DESIRED OVERLAY BELOW [ FULL | 1/2" | HALF | INSET ]
- 2 SELECT A HINGE [ SOFT CLOSE | SELF CLOSE WITH DOWELS | SELF CLOSE WITHOUT DOWELS ]
- 3 SELECT A BASEPLATE [ DIECAST | STAMPED STEEL ]

1	FULL OVERLAY	WOOD SCREW SELF CLOSE	DOWEL SELF CLOSE	DOWEL SOFT CLOSE
		110 DEGREE C2P6A99	C2R6A99	C7R6AE9
		120 DEGREE C2P9A99	C2R9A99	
2	A			
3	DIECAST BASEPLATE	BAR3R09	STEEL BASEPLATE	BAV3L09F

1	1/2" OVERLAY	WOOD SCREW SELF CLOSE	DOWEL SELF CLOSE	DOWEL SOFT CLOSE
		110 DEGREE C2P6D99	C2R6D99	C7R6DE9
		120 DEGREE C2P9D99	C2R9D99	
2	D			
3	DIECAST BASEPLATE	BAR3R29		

1	HALF OVERLAY	WOOD SCREW SELF CLOSE	DOWEL SELF CLOSE	DOWEL SOFT CLOSE
		110 DEGREE C2P6G99	C2R6G99	C7R6GE9
		120 DEGREE C2P9G99	C2R9G99	
2	G			
3	DIECAST BASEPLATE	BAR3R09	STEEL BASEPLATE	BAV3L09F

1	INSET	WOOD SCREW SELF CLOSE	DOWEL SELF CLOSE	DOWEL SOFT CLOSE
		110 DEGREE C2P6P99	C2R6P99	C7R6PE9
2	P			
3	DIECAST BASEPLATE	BAR3R39		



## IN STOCK SALICE GUIDE

European Hinge

Pie Corner and Thick Door Applications

Face Frame and Frameless Cabinets

### PIE CORNER HINGE GUIDE

#### 1 MAIN DOOR - FACE FRAME TO DOOR - 165 DEGREE OPENING

	DOWEL SELF CLOSE HINGE	+	DIECAST BASEPLATE
FRAMELESS - FULL OVERLAY	C2RFA99		BAR3R09
FRAMELESS - 1/2" OVERLAY	C2RFD99		BAR3R29
FRAMELESS - HALF OVERLAY	C2RFG99		BAR3R09
FRAMELESS - INSET	C2RFP99		BAR3R39

	DOWEL SELF CLOSE HINGE	+	DIECAST BASEPLATE
FACE FRAME - 1-1/4" OVERLAY	C2RFA99		BAM3R09
FACE FRAME - 3/4" OVERLAY	C2RFA99		BAU3R19
FACE FRAME - 1/2" OVERLAY	C2RFD99		BAU3R19
FACE FRAME - HALF OVERLAY	C2RFG99		BAU3R19
FACE FRAME - INSET	C2RFP99		BAL3R59

#### 2 PIE CORNER - DOOR TO DOOR [FLIPPER DOOR] HINGE

WOOD SCREW SELF CLOSE HINGE	DOWEL SELF CLOSE HINGE	+	DIECAST BASEPLATE
C2PYA99	C2RYA99		BAR3R09

### THICK DOOR HINGE GUIDE

	WOOD SCREW SELF CLOSE HINGE	+	DIECAST BASEPLATE
FRAMELESS - FULL OVERLAY	CFA7A99		BAR3R09
FRAMELESS - HALF OVERLAY	CFA7G99		BAR3R09

# SALICE



## IN STOCK SALICE GUIDE

Hinge Accessories

Undermount Soft Close Drawer Slides



### HINGE ACCESSORIES

#### SCREWS

STANDARD BASEPLATE OR HINGE - WOOD SCREW #8 3/4 OR 5/8  
 #6 CAN ALSO BE USED 3/4 OR 5/8  
 FACE FRAME - 3 CAM HINGES #8 5/8 OR 3/4 TAPERED HEAD SCREW  
 FACE FRAM - 2 CAM HINGES #8 3/4 TRUSS HEAD SCREWS [PART # VU74X194](#)

#### REDUCTION CLIPS

FACE FRAME SOFT CLOSE [PART # SUP337XG](#)  
 FACE FRAME SELF CLOSE - 1/4" OR 3/4" OVERLAY [PART # SSP337G](#)  
 FACE FRAME SELF CLOSE - 1-1/8" OR 1-9/16" OVERLAY [PART # SSP337AG](#)  
 STANDARD A, G, D OR P HINGE STOCK - USE

#### HINGE CUP SPACERS

0.6 MM SPACER [PART # S2XX86BT](#)  
 1.2 MM SPACER [PART # S2XX86AT](#)  
 1.8 MM SPACER [PART # S2XX86KT](#)

### UNDERMOUNT SOFT CLOSE DRAWER SLIDES

- 12" - 305mm [A7555/305 CP6](#)
- 15" - 381mm [A7555/381 CP6](#)
- 18" - 457mm [A7555/457 CP6](#)
- 21" - 533mm [A7555/ 533 CP6](#)



Required Right & Left Clip  
 For Undermount

[A750.010](#)



Optional Rear Metal Brackets  
 For face frame application

[AGSKXC5](#)



#### Heavy Duty Slides

170lbs load capacity

- 15" [S-F70-381-XXB](#)
- 18" [S-F70-457-XXB](#)
- 21" [S-F70-533-CXB](#)
- 24" [S-F70-610-CXB](#)
- 27" [S-F70-686-CXB](#)



Required S-F70-Front Clips  
 Standard Left & Right  
 Narrow Left & Right



[AFCGX3B](#) [AFCEX43B](#)


### PULL OUT TRASH

[QPAM12135CR](#)



Single 35 Qt. w/ Optional Door Bracket  
 Requires 12" wide opening

[QPAM15228CR](#)



Double 32 Qt. w/ Optional Door Bracket  
 Requires 15" wide opening

Rear mounting brackets

ONLY COMPATIBLE WITH THE 15" AND 18" OPTIONS.

[S-F70-Rear Bracket](#)

